


NEOLITH[®]

Tile Program

EVOLV
SURFACES

FORMATS, THICKNESSES & FINISHES



SATIN
Completely matte finish, Highly resistant and ideal for commercial applications



SILK
Matte finish with a thin layer of glaze that provides a subtle shine and a nice soft touch. Surface finish that results extremely easy to clean.



RIVERWASHED
Finish with a rough texture and relief that evokes sensations to the touch.

| DCOF Results | | |
|--------------|-------------|--------------------|
| Satin finish | Silk finish | Riverwashed finish |
| 0.43 | 0.42 | 0.53 |

TECHNICAL FEATURES



WATERPROOF

Waterproof and resistant to liquids, with an absorption level of almost zero.



RESISTANT TO SCRATCHES

Its hard surface makes it resistant to scratches and abrasion.



RESISTANT TO HIGH TEMPERATURES

It does not burn in contact with fire nor does it emit smoke or toxic substances when subjected to high temperatures.



EASY TO CLEAN

Resistant to any kind of chemical cleaning agent such as bleach or ammonia.



HYGIENIC

It does not give off any harmful substances and is totally suitable for contact with food. NSF Certified.

MODELS



RESISTANT TO UV RAYS



100% NATURAL



RECYCLABLE




LIGHTWEIGHT



RESISTANT TO BENDING



World Wildlife Fund



Fundación Vicente Ferrer



Fundación RCR



Member of the US Green Building Council (USGB)



NSF certifies that Neolith is suitable for contact with food.



European Commission Certification



Designed and produced by TheSize

EVOLV

SURFACES

1313 Armstrong Ave, San Francisco, CA
t. 415.767.4600 info@evolvsurfaces.com

22261 West Valley Highway, Kent, WA
t. 206.550.4872 karyl@evolvsurfaces.com

3475 W. Post Road, Suite 125, Las Vegas, NV
t. 702.219.5160 beau@evolvsurfaces.com